

TEKST NR 105

1985

Tage Christensen:

The Frequency Dependence of the Specific Heat at the Glass Transition.

Jeppe C. Dyre:

A simple model of ac hopping conductivity.

Contributions to the Third International Conference on the Structure of Non-Crystalline Materials held in Grenoble july 1985 (to appear in J. Physique Colloq. Series dec. 85).

TEKSTER fra

IMFUFA

ROSKILDE UNIVERSITETSCENTER
INSTITUT FOR STUDIET AF MATEMATIK OG FYSIK SAMT DERES
FUNKTIONER I UNDERVISNING, FORSKNING OG ANVENDELSER

IMFUFA, Roskilde Universitetscenter, Postboks 260, 4000 Roskilde

THE FREQUENCY DEPENDENCE OF THE SPECIFIC HEAT AT THE GLASS TRANSITION.

Af: Tage Christensen

A SIMPLE MODEL OF AC HOPPING CONDUCTIVITY.

Af: Jeppe C. Dyre

IMFUFA tekst nr. 105/85

10 sider

ISSN 0106 - 6242

Abstract:

This IMFUFA-text contains two papers presented at the Third International Conference on the Structure of Non-Crystalline Materials held July 1985 in Grenoble, France. The first paper deals with the frequency dependent specific heat at the glass transition (p. 1-3), and the second paper deals with ac hopping conductivity (p. 4-8). Each paper starts with a short abstract.

The Frequency Dependence of the Specific Heat at the Glass Transition

Tage Christensen

IMFUFA
Roskilde Universitetscenter, Postbox 260
DK-2100 Roskilde
Denmark

ABSTRACT - The frequency dependence of the specific heat of glycerol at the glass transition has been measured. A time-temperature equivalence is found - the mean relaxation time having an activation temperature of $2.1 \cdot 10^4$ K. In the high frequency limit $c - c_{\infty}$ decays as a power law with exponent 0.28

The glass transition shows up in various thermodynamic responses such as the specific heat c_p [1]. When c_p is measured at a certain cooling rate the glass transition temperature T_g is found at the "soft discontinuity" in $c_p(T)$. T_g is dependent on the cooling rate, being higher at fast cooling than at slow cooling. Furthermore, hysteresis effects are seen, i.e. cooling and heating gives different curves $c_p(T)$, see fig. 1 taken from [2].




Fig. 1 - Enthalpy and heat capacity vs. temperature plots for a glass cooled and then reheated through the transition region at different rates.

The physical picture of the glass transition is that near T_g some degrees of freedom are so slowly approaching equilibrium (times exceeding the duration of the experiment), that they cease to contribute to c_p .

Usually the enthalpy relaxation near T_g is measured in the time domain. In this work we have considered the frequency domain.

Doing linear nonequilibrium thermodynamics, we apply an AC-heating current $I_0 e^{i\omega t}$, small enough for the temperature response $T_0 e^{i(\omega t + \phi)}$, to be linear. The heat impedance is defined as $Z = T_0 e^{i\phi} / Q_0$ and the complex heat capacity becomes $c = 1/i\omega Z$.

In a substance with structural relaxation c will have a nonvanishing imaginary part. As for more commonly considered susceptibilities, $\text{Im}(c)$ is proportional to the entropy production during a cycle due to irreversible processes.

AC-temperature calorimetry is a technique known to have the advantage of a high signal-to-noise ratio /3/, and has been used to determine critical exponents of equilibrium phase transitions /4/, where c_p is independent of ω . It turns out to be a powerful method for a relaxing heat capacity also.

EXPERIMENTAL


$c(\omega)$ has been measured for glycerol. 130 mg glycerol was put between two concentric alumina cylinders 0.3 mm apart. The heat current were send into the liquid at the inner cylinder, and the temperature measured at the outer cylinder. The frequency range was 2,4 mHz to 35 mHz, - the lower time limit set by the heat diffusion time in the sample and the upper time limit by the patience of the experimentalist. The temperature was measured every half second by a computer, and through a Fourier analysis the amplitude and phase were determined.

REDUCED DATA

After subtracting the background admittance consisting of container-capacity and heat conductivity to temperature bath, the data were subjected to the following procedure. The liquid heat capacity $c_0(T)$ and the glass heat capacity $c_\infty(T)$ were extrapolated into the transition region and c_p normalized to

$$\tilde{c}(\omega, T) = \frac{c_p(\omega, T) - c_\infty(T)}{c_0(T) - c_\infty(T)}$$


The real and imaginary part of \tilde{c} is presented in fig. 2 in a Cole-Cole plot. The segments belonging to different temperatures fall on the same mastercurve indicating that the principle of corresponding states (time - temperature equivalence) is valid; that is \tilde{c} is of the form $\tilde{c}(\tilde{\omega} \cdot \tau(T))$, $\tau(T)$ being a kind of mean relaxation time /5/.



In the high frequency end the Cole-Cole plot is a straight line which shows $\tilde{c}(\tilde{\omega}) \propto (i\tilde{\omega})^{-\beta} (= \tilde{\omega}^{-\beta} e^{-i\beta\pi/2})$ for $\omega \rightarrow \infty$. The angle of this line with the $\text{Re } \tilde{c}(\tilde{\omega})$ axis is $-\beta\pi/2$. β is found to be 0,28. The time - temperature equivalence have now been used to make the mastercurve of fig. 3.

The various segments of $\tilde{c}(\tilde{\omega})$ measured at different temperatures were displaced along the $\log(\tilde{\omega})$ axis to form a single curve.

The displacements followed an Arrhenius law $\tau \propto \exp(\frac{A}{T})$ with $A = 2.1 \times 10^4$ K. At $T = 184.2$ the $\tilde{\omega}$ -axis can be read in Hz.



The intention of future work is to relate $\tilde{c}(\tilde{\omega})$ to other known responsefunctions at the glass transition.

Acknowledgement : The idea of measuring the frequency dependence of c grew out of discussions with Niels Boye Olsen and Jeppe Dyre, whom I would like to thank .

REFERENCES

- /1/ Davies, R. O. and Jones, G. O., Adv. Phys. 2 (1953) 370
- /2/ Moynihan, C. T. et al., J. Phys. Chem. 78 (1974) 2674
- /3/ Sullivan, P. F. and Seidel, G. Phys. Rev. 173 (1968) 679
- /4/ Handler, P., Mapother, D. E. and Rayl, M., Phys. Rev. Lett. 19 (1967) 356
- /5/ Ferry, J. D., "Viscoelastic Properties of Polymers", 2.ed 1970, John Wiley N.Y.

A simple model of ac hopping conductivity

JEPPE C. DYRE

INSTITUTE OF MATHEMATICS AND PHYSICS

IMFUFA

UNIVERSITY OF ROSKILDE

POSTBOX 260

DK-4000 ROSKILDE

DENMARK

Abstract - The physics of ac hopping conductivity in disordered solids is discussed in the light of a recently proposed model. Several new comments are made.

One of the most interesting facts about conductivity in disordered solids is the surprising similarity between ionic and electronic conductivity. The same kinds of non-linearities in strong electric fields are observed, and ionic and electronic conductivity have similar temperature and frequency dependence /1,2/. In a recent paper by the author it was suggested that the latter similarities are observed because ionic and electronic hopping conductivity have the same jump frequency distribution $p(\gamma)^{1/3}$. In the ionic case, the jump frequency γ is given by $\gamma \propto \exp(-\beta \Delta E)$ where β is the inverse temperature and ΔE is the energy barrier. In the case of tunneling electrons, γ is essentially given by $\gamma \propto \exp(-\alpha r)$ where α is the decay parameter for the wavefunctions and r is the jump distance. If ΔE resp. r are randomly varying, one finds in both cases that $p(\gamma)$ varies as $1/\gamma$. From a phenomenological point of view, ionic and electronic conductivity in disordered solids are thus claimed both to be characterized by randomly varying free energy barriers.

In order to check this hypothesis, the frequency-dependent conductivity $\sigma(\omega)$ must be calculated. In the CTRW approximation one finds /3-6/

$$\sigma(\omega) = \frac{nq^2 a^2}{2dkT} \left\{ -i\omega + i\omega \ln \lambda \left[\ln \left(\frac{1 + i\omega/\gamma_1}{1 + i\omega/\gamma_0} \right) \right]^{-1} \right\}. \tag{1}$$

Here q and n are charge resp. density of the charge carriers, a^2 is the mean square jump distance in the x-direction, d is the dimensionality, k is the Boltzmann constant, T is the temperature, γ_1 and γ_0 are the smallest and largest jump frequencies, and $\lambda = \gamma_0/\gamma_1$. By letting γ_0 go to infinity the following expression is obtained where $\tau = 1/\gamma_1$ /3/

$$\sigma(\omega) = \sigma(0) \frac{i\omega\tau}{\ln(1+i\omega\tau)}. \tag{2}$$

This formula reproduces the qualitative features of ac hopping conductivity. In particular one finds an approximate power law of the conductivity at high frequencies, $\text{Re } \sigma(\omega) \propto \omega^s$, where $s \approx 1 - 2/\ln(\omega\tau)$ /3/.

In the research field of ionic conductivity in glasses, the idea of randomly varying ion jump activation energies has been around since the fifties. At that time Stevels and Taylor suggested this as a reasonable hypothesis /7,8/ but they never actually calculated $\sigma(\omega)$. The idea was not generally accepted however, because it was thought to be inconsistent with the frequent observation of temperature-independent dielectric loss peaks /9,10/. But this argument is not correct. Equation (2) does indeed imply temperature-independent dielectric loss peaks. At the same time the activation energy for ac conductivity is smaller than that for dc conductivity (compare the discussion of the temperature-dependence of $\sigma(\omega)$ in ref. /3/). Thus there is no paradox, the point is that the relevant variable to consider is the conductivity and not the dielectric loss, at least when activation energies are discussed.

It has been known experimentally for several years that there is a connection between the dc conductivity and the dielectric loss peak frequency ω_0 /11;12/. Namikawa finds that most amorphous solids satisfy the following relation /12/

$$\sigma(0) = p \omega_0 \epsilon_0 \Delta\epsilon, \quad (3)$$

where p is a numerical constant of order one, ϵ_0 is the vacuum permittivity, and $\Delta\epsilon$ is the dielectric loss. The above model fits nicely into eq. (3). From eq. (2) one finds that $\Delta\epsilon$ is given by

$$\epsilon_0 \Delta\epsilon = \frac{1}{2} \sigma(0) \tau. \quad (4)$$

When ω_0 is determined numerically, eq. (3) is found to be satisfied with $p = 0,42$.




Fig. 1: This figure is a reinterpretation of an old figure (fig. 3 in ref. /13/) which shows a correlation for a number of chalcogenide glasses (at $T = 300 \text{ K}$) between the dc conductivity and the ac conductivity at 10^4 Hz . The solid line shows the prediction of eq. (2) if it is assumed that the glasses have the same dielectric loss $\Delta\epsilon$ ($= 0,6$).

In a famous paper, Davis and Mott plotted the dc conductivity as a function of $\text{Re } \sigma (\omega = 10^6 \text{ Hz}) - \sigma(0)$ at 300 K in a log-log plot for a number of chalcogenide glasses (fig. 3 in ref. /13/). Their figure reveals a correlation between the dc and the ac conductivity of these glasses. It will now be shown that this correlation can be interpreted within the above model. Suppose that the glasses have the same $\Delta \epsilon$. Then it follows from eq. (4) that

$$\omega \tau |_{\omega=10^6 \text{ Hz}} = K/\sigma(0) \tag{5}$$

where K is independent of the glass $*$). If the ratio between the ac and the dc conductivity is plotted against $1/\sigma(0)$ in a log-log plot, the points are thus expected to lie on the curve which gives the real part of the conductivity (relative to $\sigma(0)$) as a function of $\omega \tau$. This is approximately the case as is clear from fig. 1. The constant K in eq. (5) is a fitting parameter; the value used in fig. 1 corresponds to $\Delta \epsilon = 0,6$ - not an unreasonable value.

In the derivation of eqs. (1) and (2) the CTRW approximation was used. This approximation is known to be poor in some cases /15/. It may therefore be a good idea to try to apply a more reliable approximation, for instance the EMA /5/. If the jump frequency distribution is given by $p(\gamma) \propto 1/\gamma$, one finds that $\sigma(\omega)$ in this approximation in the limit $\gamma_0 \rightarrow \infty$ is determined by /16/ (for $d \geq 3$)

$$\frac{\sigma(\omega)}{\sigma(0)} \ln \left[\frac{\sigma(\omega)}{\sigma(0)} \right] = i\omega \tau' \tag{6}$$

Here τ' is a characteristic time of the same order of magnitude as τ . Equation (6) is easily solved numerically by means of the Newton-Raphson method. When the solution is plotted in a log-log plot it turns out to be almost indistinguishable from eq. (2), except for a rescaling of ω . Phenomenologically, the CTRW approximation is thus satisfactory in our use where $p(\gamma) \propto 1/\gamma$ and $\gamma_0 \rightarrow \infty$.

As the temperature goes to zero, the frequency-dependence of the conductivity becomes particularly simple in the model. In order to show this it is important to return to eq. (1) and keep γ_0 fixed throughout the calculation ($\gamma_0 = 10^{12}$ Hz). Assuming zero activation entropy we have

$$\gamma_1 = \gamma_0 e^{-\frac{\Delta E}{kT}} \tag{7}$$

When eq. (7) is substituted into eq. (1) one finds that the temperature-dependence cancels as $T \rightarrow 0$. The following results are obtained (for $\omega \ll \gamma_0$)

$$\lim_{T \rightarrow 0} \text{Re } \sigma(\omega) = \frac{\pi}{4} \frac{nq^2 a^2}{d \Delta E} \omega \sim \epsilon_0 \omega \tag{8}$$

$$\lim_{T \rightarrow 0} \text{Im } \sigma(\omega) = \frac{nq^2 a^2}{2d \Delta E} \omega \ln \left[\frac{\gamma_0}{\omega} \right] \tag{9}$$

In particular we find that

$$\lim_{T \rightarrow 0} \frac{\text{Im } \sigma(\omega)}{\text{Re } \sigma(\omega)} = \frac{2}{\pi} \ln \left[\frac{\gamma_0}{\omega} \right] \tag{10}$$

Experimentally it is often found that the conductivity is almost proportional to the frequency at low temperatures with an only weakly temperature-dependent constant of proportionality. For instance, Long and coworkers find that $\text{Re } \sigma(\omega) \propto \omega^{0,9} T^{0,4}$ for amorphous germanium at

$*$) A similar scaling law has recently been discussed by Steve Summerfield /14/.

low temperatures /17/. After all, eqs. (8) and (9) can only be valid at very low temperatures. This is easy to see if it is remembered that the exponent s of the ac conductivity is given by $s \cong 1 - 2/\ln(\omega\tau)$ /3/. Substituting eq. (7) into this we find that (at ω fixed)

$$s \cong 1 - T/T_0, \quad T_0 = \frac{2}{3} \Delta E \quad (11)$$

at low temperatures.

Finally it will be shown that eq. (2) fits nicely into the framework proposed by Macedo et al. for the description of ionic conductivity in glasses /18/. Consider an infinite network as shown in fig. 2.




Fig. 2: Electrical equivalent-circuit used in the alternative derivation of eq. (2). The circuit was proposed by Macedo et al. to describe dielectric loss in ionically conducting oxide glasses /18/.

Each capacitance is equal to C , while the resistances R_n vary according to a probability distribution $p(R)$. The electrical properties of the network are determined by the average impedance per RC-unit, $Z(\omega)$, which is given by

$$Z(\omega) = \left\langle \frac{1}{1/R + i\omega C} \right\rangle = \frac{1}{C} \int_0^{\infty} \frac{p(R) dR}{1/RC + i\omega} \quad (12)$$

Suppose each RC-unit somehow corresponds to an activated process in the solid. If the free energies of activation vary randomly, the characteristic time $t = RC$ is distributed according to $p(t) \propto 1/t$. Equation (12) then becomes

$$Z(\omega) = \frac{K}{C} \int_0^{\tau} \frac{1}{1/t + i\omega} \frac{dt}{t} = \frac{K}{C} \int_0^{\tau} \frac{dt}{1 + i\omega t} \quad (13)$$

where K is a constant and τ is the maximum value of t , the existence of which follows if a finite average dc conductivity is required. Because $p(t) \propto 1/t$ is not normalizable, the constant K is unknown and must be determined selfconsistently. When this is done after the integration has been carried out, eq. (13) reduces to eq. (2).

It must be emphasized that the physical interpretation of the electrical circuit is different from that of the above discussed "random walk" model. The circuit corresponds to macroscopic inhomogeneities in the solid, and in this case it is the overall potential difference which can be controlled experimentally. In the case of the random walk model, the fluctuation-dissipation theorem is used to derive $\sigma(\omega)$ from microscopic fluctuations. The implicit assumption is here that the local electric field is the experimentally controllable parameter. Thus, the electrical circuit of fig. 2 is not conceptually equivalent to the random walk model, although both gives rise to the same frequency-dependence of the conductivity.

Acknowledgement: The author has benefitted much from discussions with N. B. Olsen and P. V. Christiansen about the interpretation of the electrical circuit in fig. 2.

REFERENCES

- /1/ Isard, J. O., J. Non-Cryst. Solids 4 (1970) 357.
- /2/ Owen, A. E., J. Non-Cryst. Solids 25 (1977) 372.
- /3/ Dyre, J. C., Phys. Lett. 108A (1985) 457.
- /4/ Scher, H. and Lax, M., Phys. Rev. B7 (1973) 4491.
- /5/ Odagaki, T. and Lax, M., Phys. Rev. B24 (1981) 5284.
- /6/ Halpern, V. and Sonnenschein, M., J. Phys. C14 (1981) 3209.
- /7/ Stevels, J. M., in: "Handbuch der Physik", Vol. 20, ed. S. Flügge (Springer-Verlag, Berlin, 1957) p. 350.
- /8/ Taylor, H. E., J. Soc. Glass Technol. 41 (1957) 350.
- /9/ Tomozawa, M., in: "Treatise of Materials Science", Vol. 12, ed. M. Tomozawa (Academic Press, New York, 1977) p. 283.
- /10/ Ravaine, D. and Souquet, J. L., in: "Solid Electrolytes", ed. P. Hagenmuller (Academic Press, New York, 1978) p. 277.
- /11/ Barton, J. L., Verres et Refr. 20 (1966) 328.
- /12/ Namikawa, H., J. Non-Cryst. Solids 18 (1975) 173.
- /13/ Davis, E. A., and Mott, N. F., Phil. Mag. 22 (1970) 903.
- /14/ Summerfield, S., to appear (1985).
- /15/ Butcher, P. N., J. Phys. C7 (1974) 2645.
- /16/ Bryksin, V. V., Sov. Phys. Solid State 22 (1980) 1421.
- /17/ Long, A. R., Hogg, W. R., Holland, M. C., Balkan, N., and Ferrier, R. P., Phil. Mag. B 51 (1985) 39.
- /18/ Macedo, P. B., Moynihan, C. T., and Bose, R., Physics Chem. Glasses 13 (1972) 171.

- 1/78 "TANKER OM EN PRAKSIS" - et matematikprojekt.
Projektrapport af Anne Jensen, Lena Lindenskov, Marianne Kesselhahn og Nicolai Lomholt.
Vejleder: Anders Madsen.
- 2/78 "OPTIMERING" - Menneskets forøgede beherskelsesmuligheder af natur og samfund.
Projektrapport af Tom J. Andersen, Tommy R. Andersen, Gert Kreinøe og Peter H. Lassen.
Vejleder: Bernhelm Booss.
- 3/78 "OPGAVESAMLING", breddekursus i fysik. Nr. 3 er a jour ført i marts 1984
Lasse Rasmussen, Aage Bonde Kræmmer, Jens Højgaard Jensen.
- 4/78 "TRE ESSAYS" - om matematikundervisning, matematiklæreruddannelsen og videnskabsrindalismen. Nr. 4 er p.t. udgået.
Mogens Niss.
- 5/78 "BIBLIOGRAFISK VEJLEDNING til studiet af DEN MODERNE FYSIKS HISTORIE". Nr. 5 er p.t. udgået.
Helge Kragh.
- 6/78 "NOGLE ARTIKLER OG DEBATINDLÆG OM - læreruddannelse og undervisning i fysik, og - de naturvidenskabelige fags situation efter studenteroprøret".
Karin Beyer, Jens Højgaard Jensen og Bent C. Jørgensen.
- 7/78 "MATEMATIKKENS FORHOLD TIL SAMFUNDSØKONOMIEN". Nr. 7 er udgået.
B.V. Gnedenko.
- 8/78 "DYNAMIK OG DIAGRAMMER". Introduktion til energy-bond-graph formalismen.
Peder Voetmann Christiansen.
- 9/78 "OM PRAKSIS' INDFLYDELSE PÅ MATEMATIKKENS UDVIKLING". - Motiver til Kepler's: "Nova Stereometria Doliorum Vinarium".
Projektrapport af Lasse Rasmussen.
Vejleder: Anders Madsen.
-
- 10/79 "TERMODYNAMIK I GYMNASIET".
Projektrapport af Jan Christensen og Jeanne Mortensen.
Vejledere: Karin Beyer og Peder Voetmann Christiansen.
- 11/79 "STATISTISKE MATERIALER"
red. Jørgen Larsen
- 12/79 "LINEÆRE DIFFERENTIALLIGNINGER OG DIFFERENTIALLIGNINGSSYSTEMER". Nr. 12 er udgået
Mogens Brun Heefelt
- 13/79 "CAVENDISH'S FORSØG I GYMNASIET".
Projektrapport af Gert Kreinøe.
Vejleder: Albert Chr. Paulsen

- 14/79 "BOOKS ABOUT MATHEMATICS: History, Philosophy, Education, Models, System Theory, and Works of Reference etc. A Bibliography".
Else Høyrup.
Nr. 14 er p.t. udgået.
- 15/79 "STRUKTUREL STABILITET OG KATASTROFER i systemer i og udenfor termodynamisk ligevægt".
Specialeopgave af Leif S. Striegler.
Vejleder: Peder Voetmann Christiansen.
- 16/79 "STATISTIK I KRÆFTFORSKNINGEN".
Projektrapport af Michael Olsen og Jørn Jensen.
Vejleder: Jørgen Larsen.
- 17/79 "AT SPØRGE OG AT SVARE i fysikundervisningen".
Albert Christian Paulsen.
- 18/79 "MATHEMATICS AND THE REAL WORLD", Proceedings of an International Workshop, Roskilde University Centre, Denmark, 1978. Preprint.
Bernhelm Booss & Mogens Niss (eds.).
- 19/79 "GEOMETRI, SKOLE OG VIRKELIGHED".
Projektrapport af Tom J. Andersen, Tommy R. Andersen og Per H.H. Larsen.
Vejleder: Mogens Niss.
- 20/79 "STATISTISKE MODELLER TIL BESTEMMELSE AF SIKRE DOSER FOR CARCINOGENE STOFFER".
Projektrapport af Michael Olsen og Jørn Jensen.
Vejleder: Jørgen Larsen.
- 21/79 "KONTROL I GYMNASIET - FORMAL OG KONSEKVENSER".
Projektrapport af Crilles Bacher, Per S. Jensen, Preben Jensen og Torben Nysteen.
- 22/79 "SEMIOTIK OG SYSTEMEGENSKABER (1)".
1-port lineært response og støj i fysikken.
Peder Voetmann Christiansen.
- 23/79 "ON THE HISTORY OF EARLY WAVE MECHANICS - with special emphasis on the role of reality".
-
- 24/80 "MAILMÅTILKØBFAIHELSE HOS 2.G'ERE".
a+b 1. En analyse. 2. Interviewmateriale.
Projektrapport af Jan Christensen og Knud Lindhardt Rasmussen.
Vejleder: Mogens Niss.
Nr. 24 a+b er p.t. udgået.
- 25/80 "EKSAMENSOPGAVER", Dybdemodulet/fysik 1974-79.
- 26/80 "OM MATEMATISKE MODELLER".
En projektrapport og to artikler.
Jens Højgaard Jensen m.fl.
- 27/80 "METHODOLOGY AND PHILOSOPHY OF SCIENCE IN PAUL DIRAC'S PHYSICS".
Helge Kragh.
- 28/80 "DIELEKTRISK RELAXATION - et forslag til en ny model bygget på væskernes viscoelastiske egenskaber".
Projektrapport, speciale i fysik, af Gert Kretnø.
Vejleder: Niels Boye Olsen.

- 29/80 "ODIN - undervisningsmateriale til et kursus i differentialligningsmodeller".
Projektrapport af Tommy R. Andersen, Per H.H. Larsen og Peter H. Lassen.
Vejleder: Mogens Brun Heefelt
- 30/80 "FUSIONSENERGIEN - - - ATOMSAMFUNDETS ENDESTATION".
Oluf Danielsen. Nr. 30 er udgået.
Udkommer medio 1982 på Fysik-, Matematik- og Kemilærer-
nes forlag.
- 31/80 "VIDENSKABSTEORETISKE PROBLEMER VED UNDERVISNINGSSY-
STEMER BASERET PÅ MÆNGDELÆRE". Nr. 31 er p.t. udgået
Projektrapport af Troels Lange og Jørgen Karrebæk.
Vejleder: Stig Andur Pedersen.
- 32/80 "POLYMERE STOFFERS VISCOELASTISKE EGENSKABER - BELYST
VED HJÆLP AF MEKANISKE IMPEDANSMALINGER OG MOSSBAUER-
EFFEKTMALINGER".
Projektrapport, speciale i fysik, af Crilles Bacher og
Preben Jensen.
Vejledere: Niels Boye Olsen og Peder Voetmann Chri-
stiansen.
- 33/80 "KONSTITUERING AF FAG INDEN FOR TEKNISK-NATURVIDENSKA-
BELIGE UDDANNELSER. I-II".
Arne Jakobsen.
- 34/80 "ENVIRONMENTAL IMPACT OF WIND ENERGY UTILIZATION".
ENERGY SERIES NO.1. Nr. 34 er udgået.
Bent Sørensen. Publ. i "Renewable Sources of Energy and the Environment",
Tycooli International Press, Dublin, 1981.
- 35/80 "HISTORISKE STUDIER I DEN NYERE ATOMFYSIKS UDVIKLING".
Helge Kragh.
- 36/80 "HVAD ER MENINGEN MED MATEMATIKUNDERVISNINGEN ?".
Fire artikler.
Mogens Niss.
- 37/80 "RENEWABLE ENERGY AND ENERGY STORAGE".
ENERGY SERIES NO.2.
Bent Sørensen.
-
- 38/81 "TIL EN HISTORIETEORI OM NATURERKENDELSE, TEKNOLOGI
OG SAMFUND". Nr. 38 er p.t. udgået
Projektrapport af Erik Gadé, Hans Hedal, Henrik Lau
og Finn Physant.
Vejledere: Stig Andur Pedersen, Helge Kragh og
Ib Thiersen.
- 39/81 "TIL KRITIKKEN AF VÆKSTØKONOMIEN".
Jens Højgaard Jensen.
- 40/81 "TELEKOMMUNIKATION I DANMARK - oplæg til en teknolo-
givurdering". Nr. 40 er p.t. udgået
Projektrapport af Arne Jørgensen, Bruno Petersen og
Jan Vedde.
Vejleder: Per Nørgaard.
- 41/81 "PLANNING AND POLICY CONSIDERATIONS RELATED TO THE
INTRODUCTION OF RENEWABLE ENERGY SOURCES INTO ENERGY
SUPPLY SYSTEMS".
ENERGY SERIES NO.3.
Bent Sørensen.

- 42/81 "VIDENSKAB TEORI SAMFUND - En introduktion til materialistiske videnskabsopfattelser".
Helge Kragh og Stig Andur Pedersen.
- 43/81 1. "COMPARATIVE RISK ASSESSMENT OF TOTAL ENERGY SYSTEMS".
2. "ADVANTAGES AND DISADVANTAGES OF DECENTRALIZATION".
ENERGY SERIES NO.4.
Bent Sørensen.
- 44/81 "HISTORISK UNDERSØGELSE AF DE EKSPERIMENTELLE FORUDSÆTNINGER FOR RUTHERFORDS ATOMMODEL".
Projektrapport af Niels Thor Nielsen.
Vejleder: Bent C. Jørgensen.
-
- 45/82
- 46/82 "EKSEMPLARISK UNDERVISNING OG FYSISK ERKENDELSE - I+II ILLUSTRERET VED TO EKSEMPLER".
Projektrapport af Torben O. Olsen, Lasse Rasmussen og Niels Dreyer Sørensen.
Vejleder: Bent C. Jørgensen.
- 47/82 "BARSEBACK OG DET VÆRST OFFICIELT-TÆNKELIGE UHELD".
ENERGY SERIES NO.5.
Bent Sørensen.
- 48/82 "EN UNDERSØGELSE AF MATEMATIKUNDERVISNINGEN PÅ ADGANGSKURSUS TIL KØBENHAVNS TEKNIKUM".
Projektrapport af Lis Eilertzen, Jørgen Karrebæk, Troels Lange, Preben Nørregaard, Lissi Pedersen, Laust Rishøj, Lill Røn, Isac Showiki.
Vejleder: Mogens Niss.
- 49/82 "ANALYSE AF MULTISPEKTRALE SATELLITBILLEDER".
Projektrapport af Preben Nørregaard.
Vejledere: Jørgen Larsen & Rasmus Ole Rasmussen.
- 50/82 "HERSLEV - MULIGHEDER FOR VEDVARENDE ENERGI I EN LANDSBY". ENERGY SERIES NO.6.
Rapport af Bent Christensen, Bent Hove Jensen, Dennis B. Møller, Bjarne Laursen, Bjarne Lillethorup og Jacob Mørch Pedersen.
Vejleder: Bent Sørensen.
- 51/82 "HVAD KAN DER GØRES FOR AT AFHJÆLPE PIGERS BLOKERING OVERFOR MATEMATIK?"
Projektrapport af Lis Eilertzen, Lissi Pedersen, Lill Røn og Susanne Stender.
- 52/82 "DESUSPENSION OF SPLITTING ELLIPTIC SYMBOLS"
Bernhelm Booss & Krzysztof Wojciechowski.
- 53/82 "THE CONSTITUTION OF SUBJECTS IN ENGINEERING EDUCATION".
Arne Jakobsen & Stig Andur Pedersen.
- 54/82 "FUTURES RESEARCH" - A Philosophical Analysis of Its Subject-Matter and Methods.
Stig Andur Pedersen & Johannes Witt-Hansen.

- 55/82 "MATEMATISKE MODELLER" - Litteratur på Roskilde
Universitetsbibliotek. Vedr. tekst nr. 55/82;
Se også tekst 62/83.
En bibliografi.
Else Høyrup.
- 56/82 "ÉN - TO - MANGE" -
En undersøgelse af matematisk økologi.
Projektrapport af Troels Lange.
Vejledør: Anders Madsen.
-
- 57/83 "ASPECT EKSPERIMENTET" - Nr. 57 er udgået.
Skjulte variable i kvantemekanikken?
Projektrapport af Tom Juul Andersen.
Vejleder: Peder Voetmann Christiansen.
- 58/83 "MATEMATISKE VANDRINGER" - Modelbetragtninger
over spredning af dyr mellem småbiotoper i
agerlandet.
Projektrapport af Per Hammershøj Jensen &
Lene Vagn Rasmussen.
Vejleder: Jørgen Larsen.
- 59/83 "THE METHODOLOGY OF ENERGY PLANNING".
ENERGY SERIES NO. 7.
Bent Sørensen.
- 60/83 "MATEMATISK MODEKSPERTISE" - et eksempel.
Projektrapport af Erik O. Gade, Jørgen Karrebæk og
Preben Nørregaard.
Vejleder: Anders Madsen.
- 61/83 "FYSIKS IDEOLOGISKE FUNKTION", som et eksempel på
en naturvidenskab - historisk set.
Projektrapport af Annette Post Nielsen.
Vejledere: Jens Høyrup, Jens Højgaard Jensen og
Jørgen Vogelius.
- 62/83 "MATEMATISKE MODELLER" - Litteratur på Roskilde
Universitetsbibliotek.
En bibliografi. 2. rev. udgave
Else Høyrup
- 63/83 "CREATING ENERGY FUTURES: A SHORT GUIDE TO
ENERGY PLANNING".
ENERGY SERIES No. 8
David Crossley & Bent Sørensen
- 64/83 "VON MATHEMATIK UND KRIEG".
Bernhelm Booss og Jens Høyrup
- 65/83 "ANVENDT MATEMATIK - TEORI ELLER PRAKSIS".
Projektrapport af Per Hedegård Andersen, Kirsten
Habekost, Carsten Holst-Jensen, Annelise von Moos,
Else Marie Pedersen, Erling Møller Pedersen.
Vejledere: Bernhelm Booss & Klaus Grünbaum
- 66/83 "MATEMATISKE MODELLER FOR PERIODISK SELEKTION I
ESCHERICHIA COLI".
Projektrapport af Hanne Lisbet Andersen, Ole
Richard Jensen og Klavs Frisdahl.
Vejledere: Jørgen Larsen og Anders Hede Madsen

- 67/83 "ELIPSOIDE METODEN - EN NY METODE TIL LINEÆR PROGRAMMERING?"
Projektrapport af Lone Biilmann og Lars Boye
Vejleder: Mogens Brun Heefelt
- 68/83 "STOKASTISKE MODELLER I POPULATIONSGENETIK"
- til kritikken af teoriladede modeller.
Projektrapport af Lise Odgård Gade, Susanne Hansen, Michael Hviid, Frank Mølgård Olsen.
Vejleder: Jørgen Larsen.
- 69/83 "ELEVFORUDSÆTNINGER I FYSIK"
- en test i 1.g med kommentarer
Albert Chr. Paulsen
- 70/83 "INDLÆRINGS- OG FORMIDLINGSPROBLEMER I MATEMATIK PÅ VOKSENUNDERVISNINGSNIVEAU"
Projektrapport af Hanne Lisbet Andersen, Torben J. Andreasen, Svend Age Houmann, Helle Glerup Jensen, Keld Fl. Nielsen, Lene Vagn Rasmussen.
Vejleder: Klaus Grünbaum & Anders H. Madsen
- 71/83 "PIGER OG FYSIK"
- et problem og en udfordring for skolen?
Karin Beyer, Sussanne Blegaa, Birthe Olsen, Jette Reich & Mette Vedelsby
- 72/83 "VERDEN IFØLGE PEIRCE" - to metafysiske essays, om og af C.S. Peirce.
Peder Voetmann Christiansen
- 73/83 "EN ENERGIANALYSE AF LANDBRUG"
- økologisk contra traditionelt
ENERGY SERIES No. 9
Specialeopgave i fysik af Bent Hove Jensen
Vejleder: Bent Sørensen
-
- 74/84 "MINIATURISERING AF MIKROELEKTRONIK" - om videnskabeliggjort teknologi og nytten af at lære fysik
Projektrapport af Bodil Harder og Linda Szkotak Jensen.
Vejledere: Jens Højgaard Jensen og Bent C. Jørgensen
- 75/84 "MATEMATIKUNDERVISNINGEN I FREMTIDENS GYMNASIUM"
- Case: Lineær programmering
Projektrapport af Morten Blomhøj, Klavs Frisdahl, Frank Mølgård Olsen
Vejledere: Mogens Brun Heefelt & Jens Bjørneboe
- 76/84 "KERNEKRAFT I DANMARK?" - Et høringssvar indkaldt af miljøministeriet, med kritik af miljøstyrelsens rapporter af 15. marts 1984.
ENERGY SERIES No. 10
Af Niels Boye Olsen og Bent Sørensen
- 77/84 "POLITISKE INDEKS - FUP ELLER FAKTA?"
Opinionsundersøgelser belyst ved statistiske modeller
Projektrapport af Svend Age Houmann, Keld Nielsen, Susanne Stender
Vejledere: Jørgen Larsen & Jens Bjørneboe

- 78/84 "JÆVNSTRØMSLEDNINGSEVNE OG GITTERSTRUKTUR I AMORFT GERMANIUM"
Specialerapport af Hans Hedal, Frank C. Ludvigsen og Finn C. Physant
Vejleder: Niels Boye Olsen
- 79/84 "MATEMATIK OG ALMENDANNELSE"
Projektrapport af Henrik Coster, Mikael Wennerberg Johansen, Povl Kattler, Birgitte Lydholm og Morten Overgaard Nielsen.
Vejleder: Bernhelm Booss
- 80/84 "KURSUSMATERIALE TIL MATEMATIK B"
Mogens Brun Heefelt
- 81/84 "FREKVENSafhængig LEDNINGSEVNE I AMORFT GERMANIUM"
Specialerapport af Jørgen Wind Petersen og Jan Christensen
Vejleder: Niels Boye Olsen
- 82/84 "MATEMATIK- OG FYSIKUNDERVISNINGEN I DET AUTOMATISEREDE SAMFUND"
Rapport fra et seminar afholdt i Hvidovre 25-27 april 1983
Red.: Jens Højgaard Jensen, Bent C. Jørgensen og Mogens Niss.
- 83/84 "ON THE QUANTIFICATION OF SECURITY" nr. 83 er p.t. udgået
PEACE RESEARCH SERIES NO. 1
af Bent Sørensen
- 84/84 " NOGLE ARTIKLER OM MATEMATIK, FYSIK OG ALMENDANNELSE".
Jens Højgaard Jensen, Mogens Niss m. fl.
- 85/84 "CENTRIFUGALREGULATORER OG MATEMATIK"
Specialerapport af Per Hedegård Andersen, Carsten Holst-Jensen, Else Marie Pedersen og Erling Møller Pedersen
Vejleder: Stig Andur Pedersen
- 86/84 "SECURITY IMPLICATIONS OF ALTERNATIVE DEFENSE OPTIONS FOR WESTERN EUROPE"
PEACE RESEARCH SERIES NO. 2
af Bent Sørensen
- 87/84 "A SIMPLE MODEL OF AC HOPPING CONDUCTIVITY IN DISORDERED SOLIDS"
af Jeppe C. Dyre
- 88/84 "RISE, FALL AND RESURRECTION OF INFINITESIMALS"
af Detlef Laugwitz
- 89/84 "FJERNVARMEOPTIMERING"
af Bjarne Lillethorup & Jacob Mørch Pedersen
- 90/84 "ENERGI I 1.G.-en teori for tilrettelæggelse"
af Albert Chr. Paulsen
-
- 91/85 "KVANTETEORI FOR GYMNASIET"
1. Lærervejledning
Projektrapport af: Birger Lundgren, Henning Sten Hansen og John Johansson
Vejleder: Torsten Meyer

- 92/85 "KVANTETEORI FOR GYMNASIET
2. Materiale
Projekt rapport af: Birger Lundgren, Henning
Sten Hansen og John Johansson
Vejleder: Torsten Meyer
- 93/85 "THE SEMIOTICS OF QUANTUM-NON-LOCALITY"
af Peder Voetmann Christiansen
- 94/85 "TREENIGHEDEN BOURBAKI - generalen, matematikeren
og ånden"
Projekt rapport af: Morten Blomhøj, Klavs Frisdahl
og Frank M. Olsen
Vejleder: Mogens Niss
- 95/85 "AN ALTERNATIV DEFENSE PLAN FOR WESTERN EUROPE"
Peace research series no. 3
af Bent Sørensen
- 96/85 "ASPEKTER VED KRAFTVARMEFORSYNING"
af Bjarne Lillethorup
Vejleder: Bent Sørensen
- 97/85 "ON THE PHYSICS OF A.C. HOPPING CONDUCTIVITY"
Jeppe C. Dyre
- 98/85 "VALGMULIGHEDER I INFORMATIONSDEREN"
af Bent Sørensen
- 99/85 "Der er langt fra Q til R"
Projekt rapport af: Niels Jørgensen og Mikael Klintorp
Vejleder: Andur Pedersen
- 100/85 "TALSYSTEMETS OPBYGNING"
af Mogens Niss
- 101/85 "EXTENDED MOMENTUM THEORY FOR WINDMILLS
IN PERTURBATIVE FORM"
af Ganesh Sengupta
- 102/85 "OPSTILLING OG ANALYSE AF MATEMATISKE MODELLER, BELYST VED
MODELLER OVER KØERS FODEROPTAGELSE OG - OMSÆTNING"
Projekt rapport af: Lis Eilertzen, Kirsten Habekost, Lill Røn
og Susanne Stender
Vejleder: Klaus Grünbaum
- 103/85 "ØDSLE KOLDKRIGERE & VIDENSKABENS LYSE IDEER"
Projekt rapport af: Niels Ole Dam og Kurt Jensen
Vejleder: Bent Sørensen
- 104/85 "ANALOGREGNEMASKINEN OG LORENZLIGNINGER"
af: Jens Jøger